

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6915	((multiple or plural\$4 or two)near2 (block\$1 or element\$1 or device\$2 or component\$1 or circuit\$1))with ((communicat\$4 or transfer\$4 or send\$3 or transmit\$4)near5 ((common or shared or shar\$4 or "same")adj bus or channel\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 09:26
L2	274	I1 and ((select\$4 or choos\$3 or chos\$3 or adapt\$4)near3 delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 09:28
L3	17	I1 and (((select\$4 or choos\$3 or chos\$3 or adapt\$4)near3 delay)with ((block\$1 or element\$1 or device\$2 or component\$1 or circuit\$1)near3 (communicat\$4 or transfer\$4 or send\$3 or transmit\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 09:38
L4	47	I1 and (((select\$4 or choos\$3 or chos\$3 or adapt\$4)near3 delay)same ((block\$1 or element\$1 or device\$2 or component\$1 or circuit\$1)near3 (communicat\$4 or transfer\$4 or send\$3 or transmit\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 11:10
L5	13	I1 and (variable adj5 (time adj delay))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 09:44
L6	2	I4 and (variable adj5 (time adj delay))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 09:41
L7	0	I5 and (multiplexer with (select\$4 near6 delay))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 09:45

EAST Search History

L8	1	I5 and (multiplexer same (select\$4 near6 delay))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 09:46
L9	9	I2 and (multiplexer same (select\$4 near6 delay))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 09:49
L10	17	("5598413").URPN.	USPAT	OR	ON	2006/04/10 11:07
L11	1	("2003011499" "6681332" "2005035895").pn.	US-PGPUB; USPAT	OR	ON	2006/04/10 11:07
L12	1	("6839393").URPN.	USPAT	OR	ON	2006/04/10 11:22
S1	24	("6105144" "5742798" "6232806" "5668830" "5533072" "5550860" "6005428" "5150068" "5870441" "5577075" "5317601" "6577649" "5999032").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 14:10
S2	13	("6105144" "5742798" "6232806" "5668830" "5533072" "5550860" "6005428" "5150068" "5870441" "5577075" "5317601" "6577649" "5999032").pn.	USPAT; USOCR	OR	ON	2006/03/01 16:03
S3	5	"661859".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 14:16
S4	10	("661859" "6845436" "6105259"). pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 14:15
S5	7	("661859" "5828259").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 14:15

EAST Search History

S6	2	"6661859".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 14:26
S7	2	"5432823".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 14:27
S8	128	"5432823".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 14:28
S9	13	("661859" "6105144" "6845436" "6900664").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 16:16
S10	4	("6105144").URPN.	USPAT	OR	ON	2006/03/30 16:23
S11	7	("3784907" "5280629" "5465346" "5509038" "6105144" "6202168" "6335647").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/30 16:27
S12	29	("5280629").URPN.	USPAT	OR	ON	2006/03/30 16:32
S13	6	("3128465" "4709402" "4882739" "5070537" "5105439").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/30 16:37
S14	4	("5608896" "5692165" "5872959" "5923198").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/30 16:37
S15	43	("5872959").URPN.	USPAT	OR	ON	2006/03/30 16:39
S16	96	((selecti\$4 or adapt\$5 or choo\$4 or chos\$3 or switch\$4 or multiplex\$4)near3 delay)with((sender or transmit\$4)near3 (device or apparatus or circuit or block or logic))with ((receiv\$4 or recept\$5)near3 (device or apparatus or circuit or block or logic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 10:23

EAST Search History

S17	6	((skew near3 (compensat\$4 or adjust\$4 or nullif\$4))near3 (circuit or logic or block))and (((shar\$3 or common)near2 (bus or channel\$1 or lin\$2))same ((multiple or plural\$4 or two)near2 (component\$1 or circuits or block\$1 or transceiv\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 10:20
S18	26	(((((low or skew or delay) near3 (compensat\$4 or adjust\$4 or nullif\$4))near3 (circuit or logic or block))with data)and (((shar\$3 or common)near2 (bus or channel\$1 or lin\$2))same ((multiple or plural\$4 or two)near2 (component\$1 or circuits or block\$1 or transceiv\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 10:21
S19	3	(((((low or skew or delay) near3 (compensat\$4 or adjust\$4 or nullif\$4))near3 (circuit or logic or block))with data)same (((shar\$3 or common)near2 (bus or channel\$1 or lin\$2))same ((multiple or plural\$4 or two)near2 (component\$1 or circuits or block\$1 or transceiv\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 10:27
S20	96	((selecti\$4 or adapt\$5 or choos\$4 or chos\$3 or switch\$4 or multiplex\$4)near3 (skew or slew or delay))with((sender or transmit\$4)near3 (device or apparatus or circuit or block or logic))with ((receiv\$4 or recept\$5)near3 (device or apparatus or circuit or block or logic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 10:54
S21	3	(((((slew or skew or delay) near3 (compensat\$4 or adjust\$4 or nullif\$4))near3 (circuit or logic or block))with data)same (((shar\$3 or common)near2 (bus or channel\$1 or lin\$2))same ((multiple or plural\$4 or two)near2 (component\$1 or circuits or block\$1 or transceiv\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 10:27

EAST Search History

S22	3	(((((slew or skew or delay) near3 (compensat\$4 or adjust\$4 or nullif\$4))near3 (circuit or logic or block))with data)same (((shar\$3 or common)near2 (bus or channel\$1 or lin\$2))same ((multiple or plural\$4 or two)near2 (component\$1 or circuits or block\$1 or transceiv\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 10:42
S23	20	("5051754"):URPN.	USPAT	OR	ON	2006/03/31 10:41
S24	2	(((((slew or skew or delay) near3 (compensat\$4 or adjust\$4 or nullif\$4))near3 (circuit or logic or block))near3 data)same (transceiv\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 10:45
S25	6	(((((slew or skew or delay) near3 (compensat\$4 or adjust\$4 or nullif\$4))near3 (circuit or logic or block)))with sender	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 10:46
S26	466	((selecti\$4 or adapt\$5 or choo\$4 or chos\$3 or switch\$4 or multiplex\$4)near3 (skew or slew or delay))with((sender or transmit\$4)near3 (device or apparatus or circuit or block or logic or identity or ID))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 11:02
S27	1	((selecti\$4 or adapt\$5 or choo\$4 or chos\$3 or switch\$4 or multiplex\$4)near3 (skew or slew or delay))with((sender or transmit\$4)adj5 (identity or ID))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 11:05
S28	272	((selecti\$4 or adapt\$5 or choo\$4 or chos\$3 or switch\$4 or multiplex\$4)near3 (skew or slew or delay))with((sender or transmit\$4)adj5 (first or second))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 11:05
S29	282	((selecti\$4 or adapt\$5 or choo\$4 or chos\$3 or switch\$4 or multiplex\$4)near3 (skew or slew or delay))with((sender or transmit\$4)near3 (first or second))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 11:05

EAST Search History

S30	16	(S29 same (identity or ID))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 11:06
S31	16	(S29 same (identity or ID or identifier or identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 11:06
S32	3269	(multiple or plural\$4 or two)near3 (device\$2 or circuit\$2 or apparatus or block\$1 or logic)with ((transfer\$4 or send\$4 or sent or communicat\$4 or transmit\$4)with ((share\$5 or common or "same")near3 (bus or channels or lines)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:53
S33	0	S32 and (((compensat\$4 or adjust\$4 or correct\$4)near3 (skew\$4 or drift\$1 or slew or delay)) with ((different or response\$5 or response\$4 or depend\$4)adj5 ((send\$4 or transmit\$4 or transfer\$4 or communicat\$4)adj2 (device or circuit or apparatus or block or logic))) same ((switch\$4 or change\$4 or select\$5 or adapt\$5)adj2 delay\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:35
S34	10	((compensat\$4 or adjust\$4 or correct\$4)near3 (skew\$4 or drift\$1 or slew or delay)) with ((send\$4 or transmit\$4 or transfer\$4 or communicat\$4)adj2 (device or circuit or apparatus or block or logic))) same ((switch\$4 or change\$4 or select\$5 or adapt\$5)adj2 delay\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:44
S35	6	S32 and (((compensat\$4 or adjust\$4 or correct\$4)near3 (skew\$4 or drift\$1 or slew or delay)) with ((send\$4 or transmit\$4 or transfer\$4 or communicat\$4)adj2 (agent or device or circuit or apparatus or block or logic)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:55

EAST Search History

S36	329	(multiple or plural\$4 or two)near3 (device\$2 or circuit\$2 or apparatus or block\$1 or logic)with ((transfer\$4 or send\$4 or sent or communicat\$4 or transmit\$4)with ((shar\$5 or common or "same")near3 (data adj(bus or channels or lines))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:54
S37	0	S36 and (((compensat\$4 or adjust\$4 or correct\$4)near3 (skew\$4 or drift\$1 or slew or delay)) same ((send\$4 or transmit\$4 or transfer\$4 or communicat\$4)adj2 (agent or device or circuit or apparatus or block or logic)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:56
S38	11	S36 and (((compensat\$4 or adjust\$4 or correct\$4)near3 (skew\$4 or drift\$1 or slew or delay)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:58
S39	31	S36 same ((integrated adj circuit)or chip or IC or soic or asic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:57
S40	1	S39 and (((compensat\$4 or adjust\$4 or correct\$4)near3 (skew\$4 or drift\$1 or slew or delay)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 08:57
S41	4	("6105144" "5828259").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 13:31
S42	4	("5608896" "5692165" "5872959" "5923198").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/03 13:33
S43	1	("5268936").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/03 13:40
S44	4	("6105144").URPN.	USPAT	OR	ON	2006/04/03 13:41

EAST Search History

S45	34	("4332028" "4956804" "5239639" "5278974" "5479647" "5572722" "5577236" "5608896" "5615355" "5623638" "5692165" "5815016" "5835956" "5857095" "5886948" "5896347" "5923613" "5940328" "5946268" "5946712" "5953286" "5987576" "5987619" "6003118" "6016282" "6034878" "6043694" "6044474" "6067272" "6072743" "6075393" "6105144" "6131149" "6185664").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/03 13:57
S46	5	(skew near3 (compensat\$4 or alleviat\$4 or eliminat\$4))with (shared near2 (bus or channel\$1 or lin\$2 or signal\$1 or trac\$2 or path\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 14:15
S47	4	"5923198".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 07:55
S48	2	"5923198".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 07:56
S49	0	((integrated adj circuit)with ((multiple or plural\$4 or two or more)adj (components or block\$1 or agents or circuits or logic or elements)))same (shared adj (bus or lines or channels))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 07:59
S50	0	((integrated adj circuit)with (shared adj (bus or lines or channels)))same ((multiple or plural\$4 or two or more)adj (components or block\$1 or agents or circuits or logic or elements))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 08:00

EAST Search History

S51	12	((integrated adj circuit)with ((shared or comon or common) adj (bus or lines or channels)))same ((multiple or plural\$4 or two or more)adj (components or block\$1 or agents or circuits or logic or elements))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 08:33
S52	10702	((compensat\$4 or adjust\$4 or correct\$4 or adjust\$5)near3 (skew\$4 or drift\$1 or slew or delay)) .clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 13:19
S53	252	S52 same counter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 08:04
S54	2	S52 same ((shared or common or comon)adj bus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 08:05
S55	0	("6697385").URPN.	USPAT	OR	ON	2006/04/04 08:06
S56	8	("4677618" "5361261" "5406559" "5600651" "5771235" "5777996" "6118809" "6295281").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/04 08:07
S57	28	("4677618").URPN.	USPAT	OR	ON	2006/04/04 08:14
S58	24852	"713"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 08:41
S59	0	S58 and (((integrated adj circuit) or IC or asic or SOIC) with ((shared or comon or common) adj (bus or lines or channels)))same ((multiple or plural\$4 or two or more)adj (components or block\$1 or agents or circuits or logic or elements)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 10:01

EAST Search History

S60	7	S58 and (((compensat\$4 or adjust\$4 or correct\$4 or eliminat\$4 or alleviat\$4 or nullif\$4)near3 (slew or skew\$4 or drift\$1 or slew or delay))same((shared or comon or common) adj (bus or lines or channels)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 08:41
S61	1	("6889334").URPN.	USPAT	OR	ON	2006/04/04 08:40
S62	53288	"714"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 08:53
S63	9	S62 and (((compensat\$4 or adjust\$4 or correct\$4 or eliminat\$4 or alleviat\$4 or nullif\$4)near3 (slew or skew\$4 or drift\$1 or slew or delay))same((shared or comon or common) adj (bus or lines or channels)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 08:53
S64	25323	"710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 08:53
S65	21561	"386"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 08:53
S66	108334	"327"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 08:53
S67	95452	"370"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 08:53

EAST Search History

S68	2	S64 and (((compensat\$4 or adjust\$4 or correct\$4 or eliminat\$4 or alleviat\$4 or nullif\$4)near3 (slew or skew\$4 or drift\$1 or slew or delay))same((shared or comon or common) adj (bus or lines or channels)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 08:54
S69	3	S65 and (((compensat\$4 or adjust\$4 or correct\$4 or eliminat\$4 or alleviat\$4 or nullif\$4)near3 (slew or skew\$4 or drift\$1 or slew or delay))same((shared or comon or common) adj (bus or lines or channels)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 08:58
S70	18	S66 and (((compensat\$4 or adjust\$4 or correct\$4 or eliminat\$4 or alleviat\$4 or nullif\$4)near3 (slew or skew\$4 or drift\$1 or slew or delay))same((shared or comon or common) adj (bus or lines or channels)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 08:59
S71	22	S67 and (((compensat\$4 or adjust\$4 or correct\$4 or eliminat\$4 or alleviat\$4 or nullif\$4)near3 (slew or skew\$4 or drift\$1 or slew or delay))same((shared or comon or common) adj (bus or lines or channels)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 10:00
S72	490	(((compensat\$4 or adjust\$4 or correct\$4 or eliminat\$4 or alleviat\$4 or nullif\$4)near3 (tim\$4 or slew or skew\$4 or drift\$1 or delay))same((shared or comon or common) adj (bus or lines or channels)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 10:01
S73	113	S72 same (sender or transmi\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 13:12
S74	2	((select\$4 or chos\$3 or choos\$4 or adapt\$5)near3 (delay\$1 near2 (block\$1 or tap\$1)))with ((devie or circuit)with ((shared or common)adj (bus or channel)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 13:15

EAST Search History

S75	2	S72 and ((select\$4 or chos\$3 or choos\$4 or adapt\$5)near3 (delay\$1 near2 (block\$1 or tap\$1)))with ((devie or circuit)with ((shared or common)adj (bus or channel)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 13:16
S76	2	S72 and ((select\$4 or chos\$3 or choos\$4 or adapt\$5)near3 (delay\$1 near2 (block\$1 or tap\$1)))with ((device or circuit)with ((shared or common)adj (bus or channel)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 13:17
S77	1	S52 and (((select\$4 or chos\$3 or choos\$4 or adapt\$5)near3 (delay\$1 near2 (block\$1 or tap\$1)))with ((device or circuit)same ((shared or common)adj (bus or channel))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 13:18
S78	5	((compensat\$4 or adjust\$4 or correct\$4 or adjust\$5)near3 (skew\$4 or drift\$1 or slew or delay))same ((shared or common)adj (bus or channel))) . clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 14:18
S79	120	multiplexer\$1 with ((multiple or plural\$4 or two)near3 delay\$1) with (variable or programmable or configurable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 14:17
S80	0	S79 and (((compensat\$4 or adjust\$4 or correct\$4 or adjust\$4)near3 (skew\$4 or drift\$1 or slew or delay))same ((shared or common)adj (bus or channel)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 14:19
S81	74	S79 and (((compensat\$4 or adjust\$4 or correct\$4 or adjust\$4)near3 (skew\$4 or drift\$1 or slew or delay)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:24
S82	0	slect\$3 near5 (first or second)with (delay adj (bock or tap\$1))with (sender adj (location or identity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:26

EAST Search History

S83	0	slect\$3 near5 (first or second)with (delay)with (sender adj (location or identity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:26
S84	0	slect\$3 near5 (first or second)with (delay)with (sender adj (apart or distan\$3 or proxy or location or identity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:27
S85	0	slect\$3 near5 (first or second)with (delay)with ((apart or distan\$3 or proxy or location or identity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:27
S86	0	slect\$3 near5 (first or second)with (delay)same ((apart or distan\$3 or proxy or location or identity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:28
S87	1	(slect\$3 near5 delay)same ((apart or distan\$3 or proxy or location or identity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:29
S88	4889	((slect\$3 or adjust\$4) near5 delay)same ((apart or distan\$3 or proxy or location or identity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:30
S89	1591	((slect\$3 or adjust\$4) near5 delay)with ((apart or distan\$3 or proxy or location or identity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:31
S90	22	S89 and (skew near3 compensat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:39

EAST Search History

S91	1	(skew near3 compensat\$4)with ((multiple or plural\$4 or two or first or second)near4 (delay\$1 adj (block\$1 or tap\$1)))same ((variable or programmable or configurable)adj6 (time adj delay))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:46
S92	297	((multiple or plural\$4 or three or two)near3 (elements or circuit\$1 or agent\$1 or block\$1 or logic\$1 or function\$4))with((shar\$3 or common) near3 (data adj (bus or channel\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:50
S93	0	S92 and ((skew near3 (compensat\$4 or adjust\$4 or alleviat\$4 or eliminat\$4 or ommit\$4 or nullif\$4))with ((multiple or plural\$4 or two or first or second)near4 (delay\$1 adj (block\$1 or tap\$1))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:49
S94	0	S92 and ((skew near3 (compensat\$4 or adjust\$4 or alleviat\$4 or eliminat\$4 or ommit\$4 or nullif\$4 or correct\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:48
S95	1	((skew near3 (compensat\$4 or adjust\$4 or alleviat\$4 or eliminat\$4 or ommit\$4 or nullif\$4))with ((multiple or plural\$4 or two or first or second)near4 (delay\$1 adj (block\$1 or tap\$1))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:58
S96	303	((multiple or plural\$4 or three or two)near3 (component\$1 or elements or circuit\$1 or agent\$1 or block\$1 or logic\$1 or function\$4))with((shar\$3 or common) near3 (data adj (bus or channel\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:57
S97	0	S96 and ((skew near3 (compensat\$4 or adjust\$4 or alleviat\$4 or eliminat\$4 or ommit\$4 or nullif\$4))with ((multiple or plural\$4 or two or first or second)near4 (delay\$1 adj (block\$1 or tap\$1))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:51

EAST Search History

S98	0	S96 and ((skew near3 (compensat\$4 or adjust\$4 or alleviat\$4 or eliminat\$4 or ommit\$4 or nullif\$4))same ((multiple or plural\$4 or two or first or second)near4 (delay\$1 adj (block\$1 or tap\$1))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:51
S99	0	((multiple or plural\$4 or three or two)near3 (component\$1 or elements or circuit\$1 or agent\$1 or block\$1 or logic\$1 or function\$4))with((shar\$3 or common) near3 (data adj (bus or channel\$1)))and (skew near3 (compensat\$4 or adjust\$4 or alleviat\$4 or eliminat\$4 or ommit\$4 or nullif\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:54
S100	1	((multiple or plural\$4 or three or two)near3 (component\$1 or elements or circuit\$1 or agent\$1 or block\$1 or logic\$1 or function\$4))same((shar\$3 or common) near3 (data adj (bus or channel\$1)))and (skew near3 (compensat\$4 or adjust\$4 or alleviat\$4 or eliminat\$4 or ommit\$4 or nullif\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:54
S101	4	("3214733").URPN.	USPAT	OR	ON	2006/04/04 15:55
S102	531	((multiple or plural\$4 or three or two)near3 (component\$1 or elements or circuit\$1 or agent\$1 or block\$1 or logic\$1 or function\$4))or (multi\$component or multi\$block1))same((shar\$3 or common) near3 (data adj (bus or channel\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:58
S103	0	S102 and ((skew near3 (compensat\$4 or adjust\$4 or alleviat\$4 or eliminat\$4 or ommit\$4 or nullif\$4))same ((multiple or plural\$4 or two or first or second)near4 (delay\$1 adj (block\$1 or tap\$1))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 16:00
S104	1	S102 and ((skew near3 (compensat\$4 or adjust\$4 or alleviat\$4 or eliminat\$4 or ommit\$4 or nullif\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 16:00

EAST Search History

S10 5	0	S102 and (((multiple or plural\$4 or two or first or second)near4 (delay\$1 adj (block\$1 or tap\$1))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 16:00
S10 6	88	S102 and (((multiple or plural\$4 or two or first or second)near4 (delay\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 16:01
S10 7	51	S106 and multiplexer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 16:01
S10 8	364466	((multi\$agent or multi\$element or multi\$component)or ((multiple or plural\$4 or three or two or many or different)near2 (component\$1 or element\$1 or agent\$1 or circuit\$1 or logic\$1)))and ((shared or common)near2 bus or channel\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 09:52
S10 9	526	S108 and ((send\$4 or transmi\$5 or receiv\$4 or path)near2 skew)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 08:10
S11 0	559	S108 and ((send\$4 or transmi\$5 or receiv\$4 or path or rout\$3)near2 skew)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 09:47
S11 1	200	S108 and (((send\$4 or transmi\$5 or receiv\$4 or path or rout\$3)near2 skew)same (compensat\$4 or eliminat\$4 or alleviat\$4 or adjust\$4 or manag\$4 or correct\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 09:48
S11 2	100	S111 and ((select\$4 or choos\$4 or chos\$3 or adapt\$5 or multiplex\$3 or insert\$5)with delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 09:50

EAST Search History

S11 3	228	S108 and (((send\$4 or transmi\$5 or receiv\$4 or path or rout\$3 or locat\$4 or proximity or proxy)near2 skew)same ((compensat\$4 or elliminat\$4 or alleviat\$4 or adjust\$4 or manag\$4 or correct\$4)or deskew\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 09:49
S11 4	113	S113 and ((select\$4 or choos\$4 or chos\$3 or adapt\$5 or multiplex\$3 or insert\$5)with delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 09:55
S11 5	91345	((multi\$agent or multi\$element or multi\$component)or ((multiple or plural\$4 or three or two or many or different)near2 (component\$1 or element\$1 or agent\$1 or circuit\$1 or logic\$1)))same ((shared or common)near2 bus or channel\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 09:53
S11 6	454	S115 and ((skew near3 (compensat\$4 or elliminat\$4 or alleviat\$4 or adjust\$4 or null\$4))or deskew\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 09:54
S11 7	180	S116 and ((select\$4 or choos\$4 or chos\$3 or adapt\$5 or multiplex\$3 or insert\$5)with delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 09:55
S11 8	15	S116 and (((select\$4 or choos\$4 or chos\$3 or adapt\$5 or multiplex\$3 or insert\$5)with delay)same ((locat\$4 or sender or transmitter or communicat\$4 or proximity or nearer or farth\$3 or clos\$3 or far or distant)near4 (element or component of block or circuit or logic)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 10:08
S11 9	10	((skew or misalignment) with ((locat\$4 or distan\$3 or proximity or proxy or nearer or farther)near3 (based or depend\$4 or reference)))and ((common or shar\$3)near2 (bus or channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 10:13

EAST Search History

S12 0	35	((skew or misalignment) same ((locat\$4 or distan\$3 or proximity or proxy or nearer or farther)))same ((common or shar\$3)near2 (bus or channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 10:52
S12 1	6	("4457005" "5126693" "5361277" "5463337" "5604775" "5657481").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 11:02
S12 2	15	("6282210").URPN.	USPAT	OR	ON	2006/04/05 11:04